

AlioTM Note

CDI

Description

With Alio[™] Note, CPI has combined card reader, telemetry and digital display technology into a single de seamlessly integrates with note acceptance. Capable of accepting cash, magnetic strip, mobile payments and contactless EMV, Alio Note delivers all you need for a complete solution, all in one device.



ePayment CARD READE

Reduced hardware. Combines cash acceptance, ePayment, telemetry, antenna, and full-color screen dis single device for a better customer payment experience

Faster Installation. Reduced hardware provides 56% reduction in hardware installation time

Industry-Leading Connectivity. Eliminate the need for drilling accessory holes in machine with the indus internal cellular antenna and 4G LTE connectivity

Engaging User Interface. Digital, full-color screen with capacitive touch buttons allows for enhanced or engagement and digital advertising opportunities

Pair with Talos Recycler. Pair with Talos recycler - deliver a potential 50% lift in sales

Enhanced Service Experience with Diagnostics.

Specifications

Solution

Open

Operating temperature

-15°c to 60°c

Type of Payment

• Cash, Contact EMV, Contactless, EMV, Magnetic stripe, NFC

Display Type

- 2.8" Color TFT LCD
- Viewing Angle: Wide, 85°
- Resolution: 320x240
- Brightness: 800 nits
- Supported Image Formats: jpeg, gif, png

Storage Temperature

-40°c to 70°c

Hardware/Interfaces

• USB OTG, Rs232, CAN (CPI Synq), MDB Master/Client, MSR

Compliance

• CE, ROHS, FCC, ESD Protected, Water Ingress: IP54

Security

• Embedded Secure Element, DUKPT Encryption, RSA, TDES

