Merchant COMBO

EXPERIENCE THE DIFFERENCE WITH THE PLATFORM CALLED MEDIA2

• •



Faster Performance

Delivering unparalleled speed, reliability and screen responsiveness

<mark>Highe</mark>r Engagement

A larger 9" touchscreen with full-motion video attracts and engages consumers

Increased Sales

Suggestive selling and digital advertising drive impulsive and multi-product sales



CONSUMER EXPERIENCE

COLOUR DISPLAY

Engage consumers with larger, 9-inch touchscreen and full-motion video (7-inch touch screen standard)

SUGGESTIVE SELLING

Help consumers make selections while exposing them to new products, slow movers, or complimentary products

SHOPPING CART

Enable multi-product purchases with one, simple transaction

NUTRITIONAL INFORMATION

Inform consumers with a large display of easy-to-read nutrition facts

CUSTOM GRAPHICS

Create a custom storefront with our design service to enhance a location or promote your brand





COLOUR DISPLAY



SHOPPING CART



DIGITAL ADVERTISING



SUGGESTIVE SELLING



NUTRITIONAL INFORMATION

OPERATOR EXPERIENCE

SCREEN PERFORMANCE

Improve the user experience with a more responsive screen and boot up time of less than a minute

DIGITAL ADVERTISING

Encourage sales while building brand loyalty with display advertising and interactive promotions throughout the purchase experience

PRODUCT VARIETY

Increase sales and consumer satisfaction with a great product selection

CASHLESS PAYMENT

Capture every sale with a built-in and intuitive cashless solution

REMOTE MANAGEMENT

Manage machines over the air with Simplifi[™] CONNECT PLUS for price changes, planograms and nutritional information



MERCHANT 6

Specifications

	Merchant 4	Merchant 6					
Height	1830 mm	1830 mm					
Depth	810 mm*	810 mm*					
Width	895 mm	1180 mm					
Weight	247 kg	293 kg					
Energy Consumption	100 Wh/h	106 Wh/h					
*Doors and vandal panels are easily removable to facilitate access shown are approximate and are for guidance only.	s through 750 mm (29.5") openings. All dimensions						
Electrical Supply	220/240 VAC 50Hz, 4A						
Payment Protocol	M.D.B. (Standard)						
Listings	CE, UL, FCC						
Options	Lockable cash box						
Temperature Control	Programmable refrigerated temperature range 0°C - 23°C						
Refrigerant	R134a CFC Free						
Chilled Model	Programmable refrigerated temperature range 5°C - 21°C						
Refrigerated model without health control	Above barrier: 9°C - 21°C Below barrier: 1°C - 7°C						
Refrigerated model with health control	Above barrier: 9°C - 21°C Below barrier: 1°C - 5°C						

STANDARD CONFIGURATIONS:

MERCHANT 4

SNACK & CONFECTIONERY

8	3	8		8	3	8	3	Snack
8	3	8	3	1	0	10		Snack
12	12	12	12	14	14	14	14	Confectionery
14	14	14	14	18	18	18	18	Confectionery
1	10 10		10		10		Snack	
Ę	8 8		3	1	0	10		Snack

Snack 144 Confectionery 232

Total 376

SNACK, CONFECTIONERY, BOTTLES & CANS

8	3	8			8			8	3	Snack
8	3	8			10			10		Snack
12	12	12	1:	2	14	4 14		4	14	Confectionery
14	14	14	14	4	18	18	1	8	18	Confectionery
5	5	5		5		5	5	;	5	Bottles
5	5	5		5	5 5		5	;	5	Cans
Snack 68 Cans 35 Confectionery 232 Total 370										

Confectionery 232 To Bottles 35

les 35

SNACK, CONFECTIONERY, FOOD, BOTTLES & CANS



MERCHANT 6

SNACK & CONFECTIONERY

	ε	3	8	3	8	3	8	3	8	3	8		Snack
	8	3	8	3	8	3	1	0	1	0	10		Snack
1:	2	12	12	12	14	14	14	14	12	12	14	14	Confectionery
1	4	14	14	14	18	18	18	18	14	14	18	18	Confectionery
	1	0	1	0	1	0	1	0	1	0	10		Snack
	8	3	٤	3	٤	3	1	0	1	10		0	Snack
_	Crack 040												

Snack 216 Confectionery 348

Total 564

SNACK, CONFECTIONERY, BOTTLES & CANS



SNACK, CONFECTIONERY, FOOD, BOTTLES & CANS

8	3	8 8		8		8			8	Snack		
8	3	Ę	3		8	1	0	1	0	10		Snack
12	12	12							12	14	14	Confectionery
2	Dual ter					perature			4 4		4	Food
			_									
5	5	5	5	5	5	5	5	;	5		5	Bottles
5	5	5	5	5	5	5	5 5 5			5	5	Cans
Co	Snack 102 Confectionery 156 Food 24						ottle ans otal	50				,

EMEA APAC Headquarters

PR16937

CRANE MERCHANDISING SYSTEMS

Pipsmore Park, Bumpers Farm Industrial Est. Chippenham, Wiltshire SN14 6NQ, UK t: +44 (0) 1249 444 807 | f: +44 (0) 1249 444 819 | sales@cranems.eu | www.cranems.eu